

Die Früherkennungsmethode

Risikomanagement von Aggressivität in der Forensischen Psychiatrie

Von Frans Fluttert und Anja Thormann

Abderhalden C., Needham I, Dassen Th., Halfens R., H-J Haug, Fischer J. (2008). Structured risk assessment und violence in acute psychiatric wards: randomised control trail. *The British Journal of Psychiatry*, 193, 44-50.

Bartels, A.A.J. (2001). The model of social competence in the treatment of forensic youth psychiatry, an in-depth study. In: *Antisocial behaviour of youngsters. Determinants and interventions. (Het sociale-competentiemodel in forensische jeugdpsychiatrische behandeling; verdieping en verbreding. In: Antisociaal gedrag bij jeugdigen. Determinanten en interventies).* Lisse: Swet & Zeitlinger, 95-124 (Ch.6)

Betgem P. (2000). Werkstress en burnout bij verpleegkundigen in de psychiatrie; Een onderzoek naar de invloed van persoonlijke factoren en organisatiekenmerken. (Work stress und burnout in psychiatric nurses; A study of the influences of personal factors und organizational characteristics). Nijmegen University Press, Nijmegen.

Björkdahl, A., Palmstierna, T. & Hansebo, G. (2010) The bulldozer and the ballet dancer: aspects of nurses' caring approaches in acute psychiatric intensive care. *Journal of Psychiatric Mental Health Nursing*, 17 (6), 510-518.

Björkly, S., & Havik, O. E. (2003). TCO symptoms as markers of violence in a sample of severely violent psychiatric inpatients. *International Journal of Forensic Mental Health*, 2(1), 87-97.

Björkly, S. (2004). Risk Management in Transition Between Forensic Institutions and the Community: A Literature Review and Introduction to a Milieu Treatment Approach. *International Journal of Forensic Mental Health*, 3 (1), 67- 75.

Bowers, L., Brennan, G., Flood, C., Lipang, M., Olapado, P. (2006). Preliminary outcomes to reduce conflicts und containment on acute Psychiatric Wards: City Nurses. *Journal of Psychiatric und Mental Health Nursing*, 13, 165-172.

Bulten E., Nijman H., Van der Staak C. (2009). Measuring criminal thinking styles: The construct validity und utility of the PICTS in a Dutch prison sample. *Legal und Criminological Law*. 14, 35-49.

Daffern, M. & Howells, K. (2009). The Function of Aggression in Personality Disordered Patients. *Journal of Interpersonal Violence*. 24, 586.

Dermot, B., Quanbeck, C., Busse, D., Yastro, K. & Scott, Ch. (2008). The Accuracy of Risk Assessment Instruments in the Prediction if Impulsive versus Predatory Aggression. *Behavioral Science und the Law*. 26: 759-777.

Dolan, M., Fullam, R., Logan, C. & Davies G. (2008). The Violence Risk Scale Second Edition (VRS-2) as a predictor of institutional violence in a British forensic inpatient sample. *Psychiatry Research* 158, 55-65.

- Doyle, M., & Dolan, M.** (2002). Violence risk assessment: Combining actuarial and clinical information to structure clinical judgements for the formulation and management of risk. *Journal Psychiatric Mental Health Nursing*, 9(6), 649–657.
- Duxbury J & Whittington R.** (2005). Causes und management of Patient aggression und aggression: staff und Patient perspectives. *Journal of Advanced Nursing*, 50(5), 469–478.
- Fluttert FAJ, Meijel B Van, Webster C, Nijman H, Bartels A & Grypdonck M** (2008). Risk management by early recognition of warning signs in forensic psychiatric Patienten. *Archives of Psychiatric Nursing*, 22, nr. 4, 208-216.
- Fluttert F., B. Van Meijel, H. Nijman, S. Bjørkly, M. Grypdonck** (2010a). Detached Concern of Forensic Mental Health Nurses to patients with regard to the Early Recognition Method. *Archives of Psychiatric Nursing*, 24, 4, 266-274.
- Fluttert F., B. Van Meijel, H. Nijman, S. Bjørkly, M. Grypdonck** (2010b). Effect of The Früherkennungsmethode on the number of aggressive incidents und episodes of seclusions in forensic care. *Journal of Clinical Nursing*, 19, 1529-1537.
- Fluttert F., B. Van Meijel, S., M. Van Leeuwen, Bjørkly, H. Nijman, M. Grypdonck** (2011). The development of the Forensic Early warning Signs of Aggression Inventory [FESA]: Preliminary findings. Towards a better management of inpatient aggression. *Archives of Psychiatric Nursing*, 25(2), 129-137.
- Freeman, D., Garety, P., Kuiper, E., Fowler, D., Bebbington, P., & Dunn, G.** (2007). Acting on persecutory delusions: The importance of safety seeking. *Behaviour Research and Therapy*, 45, 89–99.
- Green, B., Schramm, T. M., Chiu, K., McVie, N., & Hay, S.** (2009). Violence severity and psychosis. *International Journal of Forensic Mental Health*, 8, 33–40.
- Holmqvist, R. & Armelius B-A** (2006). Sources of psychiatric staff members' feelings toward Patienten und treatment outcomes. *Psychology und Psychotherapy: Theory, Research und Practice*. 79, 571-584.
- Krug, E.** (Ed). (2002). *World report on violence and health*. Geneva: World Health Organization.
- Link, B.G., Stueve, A., & Phelan, J.** (1998). Psychotic symptoms and violent behaviours: probing the components of threat/control-override symptoms. *Social Psychiatry & Psychiatric Epidemiology*, 33, S55-S60.
- Martin T. & Daffern M.** (2006). Clinician perceptions of safety und confidence to manage inpatient aggression in a forensic setting. *Journal of Psychiatry und Mental Health Nursing*, 13, 90-99.
- Maslach, C., Schaufeli, W., Leiter, M.** (2001). Job Burnout. *Annual Review Psychology*, 52, 397-422.
- Mason T, Coyle D, Lovell A.** (2008). Forensic psychiatric nursing: skills und competencies: II clinical aspects. *Journal of Psychiatric und Mental Health Nursing*. 15, 131-139.
- Mason, Y., King, L. & Dulson, J.** (2009). Binary construct analysis of forensic psychiatric nursing in the UK: High, medium und low security services. *International Journal of Mental Health Nursing*, 18, 216-224
- McDermott, B., Quanbeck, C., Busse, D., Yastro, K. & Scott, Ch.** (2008). The Accuracy of Risk Assessment Instruments in the Prediction if Impulsive versus Predatory Aggression. *Behavioural Science and the Law*. 26: 759-777.
- Meehan T, McIntosh W, & Bergen H.** (2006). Aggressive behaviour in the high-secure forensic setting: the perceptions of Patienten. *Journal of Psychiatric und Mental Health Nursing*, 13, 19-25.

- Meijel, B van, Gaag, M. v.d, Kahn, R.S., & Grypdonck, M.** (2003). Relapse prevention in Patienten with schizophrenia Arch Psychiatric Nursing, 17(3):117-25.
- Morrison, E.F.** (1990) Violent psychiatric inpatients in a public hospital. *Scholarly Inquiry for Nursing Practice. An International Journal*, 4, 65-82.
- Needham, I., Alberhalden, C., Halfens, R., Fischer, J., & Dassen, Th.** (2005). Non-somatic effects of patient aggression on nurses: A systematic review. *Journal of Advanced Nursing*, 49(3), 283-296.
- Nicholls, T., Brink, J., Greaves, C., Lussier, P., & Verdun-Jones, S.** (2009). Forensic psychiatric inpatients und aggression: An exploration of incidence, prevalence, severity, und interventions by gender. *International Journal of Law und Psychiatry*. 32: 23-30.
- Rask M, & Brunt D** (2006). Verbal und social interactions in Swedish forensic psychiatric nursing care as perceived by the Patienten und nurses. *International Journal of Mental Health Nursing*, 15, 100-110.
- Palmstierna, T. & Wistedt, B.** (2000). Violence in psychiatry, view-points for standardized research. *Acta Psychiatrica Scandinavica*, 102, 79-80.
- Quinsey VL, Harris GT, Rice ME, & Cornier CA** (1998). Violent offenders. Appraising und management risk. Washington, DC: American Psychological Association.
- Skeem, J. L., Schubert, C., Odgers, C., Mulvey, E. P., Gardner, W, & Lidz, C.** (2006). Psychiatric symptoms und community violence among high-risk patients: A test of the relationship at the weekly level. *Journal of Consulting und Clinical Psychology*, 74, 967-979.
- Stringer B, Van Meijel B, Vree de W, Van der Bijl J.** (2008). User involvement in mental health care: the role of nurses. A literature review. *Journal of Psychiatric Mental Health Nursing*, 15, 678-683.
- Vitacco, M.J., Rybroek van, G., Rogstad, J., Yahr, L., Tomony, J & Saewert, E.** (2009). *Law und Human Behaviour*.